

Material List

Part Number	Description	Quantity	Condition	Material
SS-600-7-8	Female Connector, 3/8" Tube OD x 1/2" Female NPT, 316 SS, SC 10 cleaned	1060	BRAND NEW	SS
SS-14MO-6	Tube Union, 14 mm OD x 14 mm OD, 316 SS, SC 10 cleaned	860	BRAND NEW	SS
SS-600-6	Union, 3/8" Tube OD x 3/8" Tube OD, 316 SS, SC 10 cleaned	450	BRAND NEW	SS
SS-10MO-P	Tube Plug, 10 mm OD, 316 SS, SC 10 (standard cleaning)	300	BRAND NEW	SS
SS-8-RS-2V	Stainless Steel Gasket, 1/2" ISO Parallel Thread (RS), FKM inner ring, SC 10 cleaned	246	BRAND NEW	SS
SS-1610-C	Cap, 1" Tube OD, 316 SS, SC 10 cleaned—seals off tubing ends	188	BRAND NEW	SS
CL12M	Collar / gland, for 3/4" (19 mm) OD tubing, 316 SS, for IPT Series, rated to 20 000 psi	180	BRAND NEW	SS
SS-1610-61	Bulkhead Union, 1" Tube OD x 1" Tube OD, 316 SS, SC 10 cleaned	176	BRAND NEW	SS
SS-1610-P	Plug, 1" Tube OD, 316 SS, SC 10 cleaned	160	BRAND NEW	SS
SS-810-7-8	Female Branch Tee, 1/2" Tube OD x 1/2" Tube OD x 1/2" Female NPT, 316 SS, SC 10 cleaned	150	BRAND NEW	SS
SS-810-7-12	Female Connector, 1/2" Tube OD x 3/4" Female NPT, 316 SS, SC 10 clean	145	BRAND NEW	SS
SS-16MO-9	Tube Union Elbow, 16 mm OD x 16 mm OD, 316 SS, SC 10 cleaned	130	BRAND NEW	SS
SS-MD8RS	Mud Dauber Plug, 1/2" Male NPT, 316 SS — protects tube ends from debris	126	BRAND NEW	SS
SS-12MO-1-8RS	Tube-to-thread male connector — 12 mm OD tube to 1/2" male ISO parallel thread, straight shoulder, 316 SS, SC 10 cleaned	110	BRAND NEW	SS
SS-1610-3-16-6	Reducing Union Tee, 1" x 1" x 3/8" Tube OD, 316 SS, SC 10 cleaned	102	BRAND NEW	SS
SS-600-1-8	3/8" tube to 1/2" FNPT male connector with SC 10 standard clean	102	BRAND NEW	SS
SS-MD-4RS	Mud Dauber Plug (Vent Protector), 1/4" Male NPT, 316 SS, SC 10 cleaned, with 40 mesh screen	96	BRAND NEW	SS
SS-810-6	Tube Fitting, 1/2" OD Tube x 1/2" OD Tube Union, 316 SS, SC 10 cleaned	75	BRAND NEW	SS
SS-810-1-8	Tube Fitting, 1/2" OD Tube x 1/2" Male NPT, 316 SS, SC 10 cleaned	75	BRAND NEW	SS
SS-2400-6	316 SS union tube fitting, 1 1/2" Tube OD x 1 1/2" Tube OD, SC 10 cleaned	70	BRAND NEW	SS
SS-8MO-6	Tube Union, 8 mm OD x 8 mm OD, 316 SS, SC 10 cleaned	64	BRAND NEW	SS
SS-10MO-1-12	Tube-to-thread male connector, 10 mm OD tube x 3/4" Male NPT, 316 SS, SC 10 cleaned	55	BRAND NEW	SS
SS-12MO-6-6M	Reducing Union, 12 mm -> 6 mm Tube OD, 316 SS, SC 10 cleaned	50	BRAND NEW	SS
316L-12MO-6	316 SS union tube fitting, 12 mm Tube OD x 12 mm Tube OD, SC 10 cleaned	50	BRAND NEW	SS
SS-1211-PC	Straight Port Connector, 3/4" Tube OD x 3/4" Port, 316 SS, SC 10 cleaned	50	BRAND NEW	SS
SS-10MO-6-0011	Tube Union, 10 mm Tube OD x 10 mm Tube OD, 316 SS, SC 10 cleaned	48	BRAND NEW	SS
SS-18MO-6-12AN	Reducing Union, 18 mm OD -> 12 mm OD Tube, 316 SS, SC 10 cleaned	46	BRAND NEW	SS
SS-16-HCG	Hex Coupling, 1" Female NPT x 1" Female NPT, 316 SS, standard SC 10 clean	45	BRAND NEW	SS
SS-MD-16	316 SS mud dauber (vent protector) fitting, 1" Male NPT, wire screen cap to prevent insect/debris ingress, SC 10 cleaned (non-pressure retaining)	45	BRAND NEW	SS
SS-4FKO-R-6FK	Reducer, 3/4" Tube OD x 3/8" Tube OD, 316 SS, standard clean (SC 10)	44	BRAND NEW	SS
SS-16MO-8	316 SS female elbow, 16 mm Tube OD x 1/2" Female NPT, SC 10 cleaned	40	BRAND NEW	SS
SS-20MO-1-8	Tube-to-thread Male Connector, 20 mm Tube OD x 1/2" Male NPT, 316 SS, SC 10 cleaned	40	BRAND NEW	SS
SS-MD12	316 SS mud dauber (vent protector) fitting, 3/4" Male NPT, wire-screen cap to prevent insect/debris ingress, SC 10 cleaned	40	BRAND NEW	SS
GLM12	316 SS medium-pressure gland, 3/4" Tube OD, cone-and-thread IPT series, rated to 20 000 psi, SC 10 cleaned	40	BRAND NEW	SS
SS-10MO-1-4	Tube-to-thread male connector, 10 mm Tube OD x 1/4" Male NPT, 316 SS, SC 10 cleaned	37	BRAND NEW	SS
SS-16CP	316 SS pipe cap, 1 in. Female NPT, SC 10 cleaned, no flow restrictor	35	BRAND NEW	SS
SS-12MO-6	Tube Union, 12 mm Tube OD x 12 mm Tube OD, 316 SS, SC 10 cleaned	33	BRAND NEW	SS
SS-16MO-1-6RS	Tube-to-thread Male Connector, 16 mm Tube OD x 3/8" Male ISO Parallel Thread (straight shoulder), 316 SS, SC 10 cleaned	30	BRAND NEW	SS
SS-12MO-7-8	316 SS female connector, 12 mm Tube OD x 1/2" Female NPT, SC 10 cleaned	30	BRAND NEW	SS
SS-12MO-6-10M	316 SS reducing union, 12 mm Tube OD x 10 mm Tube OD, SC 10 cleaned	30	BRAND NEW	SS
SS-14MO-61BT	Bulkhead Union, 14 mm Tube OD x 14 mm Tube OD, bored-through, 316 SS, SC 10 cleaned	30	BRAND NEW	SS
316L-14MO-6	316 SS union tube fitting, 14 mm Tube OD x 14 mm Tube OD, SC 10 cleaned	30	BRAND NEW	SS
SS-10MO-6	316 SS union tube fitting, 10 mm Tube OD x 10 mm Tube OD, SC 10 cleaned	30	BRAND NEW	SS
SS-8-HLN-6.00	316 SS hex long nipple, 1/2" Male NPT x 1/2" Male NPT, 6" length, SC 10 cleaned	30	BRAND NEW	SS
SS-CL16M	316 SS collar for medium pressure cone & thread fitting, 1" Tube OD, rated up to 20 000 psi, SC 10 cleaned	30	BRAND NEW	SS
SS-1211-PC	Straight Port Connector, 3/4" Tube OD x 3/4" Port, 316 SS, SC 10 cleaned (not bored through)	29	BRAND NEW	SS
SS-10MO-3	Union Tee, 10 mm Tube OD x 10 mm x 10 mm Tube OD, 316 SS, SC 10 cleaned	28	BRAND NEW	SS
SS-10MO-1-8	Male Connector, 10 mm Tube OD x 1/2" Male NPT, 316 SS, SC 10 cleaned; standard (non bored)	25	BRAND NEW	SS
SS-12MO-1-8	316 SS male connector, 12 mm Tube OD x 1/2" Male NPT, SC 10 cleaned	25	BRAND NEW	SS
SS-810-1-6RS	316 SS male connector, 1/2" Tube OD x 3/8" Male ISO Parallel Thread, straight shoulder, standard cleaning packaging (SC 10)	25	BRAND NEW	SS
SS-12MO-R-12	316 SS reducer tube fitting, 12 mm Tube OD x 3/4" Swagelok tube adapter (SC 10 cleaned)	25	BRAND NEW	SS
SS-1210-1-12	316 SS male connector, 3/4" Tube OD x 3/4" Male NPT, SC 10 cleaned	25	BRAND NEW	SS
SS-12-RA-4	Reducing Adapter, 3/4" Female NPT x 1/4" Male NPT, 316 SS, SC 10 cleaned	25	BRAND NEW	SS
SS-1610-1-16RS	Tube to thread male connector, 1" OD tube x 1" ISO parallel male thread; 316 SS, straight shoulder, SC 10 cleaned	25	BRAND NEW	SS
SS-20MO-1-16	Male Connector, 20 mm Tube OD x 1" Male NPT, 316 SS, SC 10 cleaned	20	BRAND NEW	SS
SS-16MO-1-6	316 SS male connector, 16 mm Tube OD x 3/8" Male NPT, SC 10 (not bored through)	20	BRAND NEW	SS

Material List

Part Number	Description	Quantity	Condition	Material
SS-10-MTA-1-6	Tube-to-thread Male Adapter, 10 mm Tube OD x 3/8" Male NPT, 316 SS, SC 10 cleaned	20	BRAND NEW	SS
SS-ORS2-A	16 SS integral-bonnet angle-pattern needle valve, 1/8" Swagelok tube fittings x 1/8" tube fittings, regulating stem, SC 10 cleaned, CV 0.09, 5 000 psig @ 100 °F, 600 °F max	20	BRAND NEW	SS
SS-12-TA-1-12	316 SS male tube adapter, 3/4" Tube OD x 3/4" Male NPT, SC 10 cleaned	20	BRAND NEW	SS
SS-1010-1-6	316 SS male connector, 5/8" Tube OD x 3/8" Male NPT, SC 10 cleaned	20	BRAND NEW	SS
SS-1010-7-6	316 SS female connector, 5/8" Tube OD x 3/8" Female NPT, SC 10 cleaned	20	BRAND NEW	SS
SS-300-6-1	316 SS reducing union, 3/16" x 1/16" Tube OD, SC 10 cleaned	20	BRAND NEW	SS
SS-400-61-2	316 SS bulkhead reducing union, 1/4" Tube OD x 1/4" Tube OD, SC 10 cleaned	20	BRAND NEW	SS
SS-6-TA-1-8	Male Tube Adapter, 3/8" Tube OD x 1/2" Male NPT, 316 SS, SC 10 cleaned	20	BRAND NEW	SS
SS-810-3TMT	Male Run Tee, 1/2" Tube OD x 3/8" Male NPT branch x 1/2" Tube OD, 316 SS, SC 10 cleaned	20	BRAND NEW	SS
SS-8-A	1/2" Female NPT x 1/2" Male NPT stainless steel pipe adapter (316SS), SC 10 cleaned	20	BRAND NEW	SS
SS-8-UBJ	Union Ball Joint, 1/2" Female NPT, 316 SS, standard SC 10 cleaned	20	BRAND NEW	SS
SS-1210-3-8-6	Reducing Union Tee, 3/4" Tube OD → two 3/4" Tube OD, 316 SS, SC 10 cleaned	20	BRAND NEW	SS
SS-18MO-C	Cap for 18 mm OD stainless steel tubing, 316 SS, non bored, standard SC 10 clean	19	BRAND NEW	SS
SS-1610-R-24	Tube Reducer, 1" Tube OD → 1/2" Tube Adapter, 316 SS, SC 10 cleaned	19	BRAND NEW	SS
SS-16-UBJ	Union Ball Joint, 1" Female NPT, 316 SS, SC 10 cleaned	19	BRAND NEW	SS
SS-6MO-1-4RS	316 SS male connector, 6 mm Tube OD x 1/4" Male ISO Parallel Thread (straight shoulder), SC 10 cleaned	18	BRAND NEW	SS
SS-6-UBJ	316 SS union ball joint (pipe fitting), 3/8" Female NPT x 3/8" Female NPT, allows angular misalignment, SC 10 cleaned	18	BRAND NEW	SS
SS-FM45LPM4-36-W	316L SS convoluted flexible metal hose, 1/4" Tube Fitting x 1/4" Male NPT, 36 in length, braided, SC 10 cleaned	17	BRAND NEW	SS
SS-20MO-1-8RS	316 SS male connector, 20 mm Tube OD x 1/2" Male ISO Parallel Thread (straight shoulder), SC 10 cleaned	16	BRAND NEW	SS
SS-12-MTA-1-8	316 SS male tube adapter, 12 mm Tube OD x 1/2" Male NPT, SC 10 cleaned	16	BRAND NEW	SS
SS-6MTA-1-4	316 SS male tube adapter, 6 mm Tube OD x 1/4" Male NPT, SC 10 cleaned	16	BRAND NEW	SS
SS-16MO-3	316 SS 3 way union tee, 16 mm tube OD, SC 10 cleaned	15	BRAND NEW	SS
SS-10-MTA-1-12	316 SS Male Tube Adapter, 10 mm Tube OD x 3/4" Male NPT, SC 10 cleaned	15	BRAND NEW	SS
SS-12MO-6-6M	316 SS reducing union, 12 mm Tube OD x 6 mm Tube OD, SC 10 cleaned	15	BRAND NEW	SS
SS-1210-F16-300	316 SS ANSI flange adapter, 3/4" tube fitting x 1" flange, Class 300, SC 10 cleaned, flow restrictor = No	15	BRAND NEW	SS
SS-16-A	316 SS pipe adapter, 1" Female NPT x 1" Male NPT, SC 10 cleaned (no flow restrictor)	15	BRAND NEW	SS
SS-8-FKO-R-12-FK	316 SS medium pressure cone & thread reducer (FK series), 1/2" Tube OD x 3/4" Tube OD, SC 10 cleaned (cone-and-thread design)	15	BRAND NEW	SS
SS-1010-3	Union Tee, 5/8" Tube OD x 5/8" x 5/8" – 316 SS, SC 10 cleaned	15	BRAND NEW	SS
SS-1410-2-12	Male Elbow, 7/8" Tube OD x 3/4" Male NPT, 316 SS, SC 10 cleaned	15	BRAND NEW	SS
SS-6-TA-7-8	Female Tube Adapter, 3/8" Tube OD x 1/2" Female NPT, 316 SS, SC 10 cleaned	14	BRAND NEW	SS
SS-10MO-0005	Lap joint connector: 10 mm Swagelok tube fitting x 10 mm lap joint stub; 316 SS; SC 10 cleaned	13	BRAND NEW	SS
SS-400-7-8	316 SS female connector, 3/4" Tube OD x 1/2" Female NPT, SC 10 cleaned	13	BRAND NEW	SS
SS-1610-11-16	Bulkhead Male Connector, 1" Tube OD x 1" Male NPT, 316 SS, SC 10 cleaned	13	BRAND NEW	SS
SS-20MO-1-12RS	316 SS male connector, 20 mm Tube OD x 3/4" Male ISO Parallel Thread (straight shoulder), SC 10 cleaned	12	BRAND NEW	SS
SS-MD-12RS	Mud Dauber fitting: 40 mesh stainless steel screen cap, 3/4" Male NPT, 316 SS, SC 10 cleaned	12	BRAND NEW	SS
SS-12-UBJ	Union Ball Joint, 3/4" Female NPT, 316 SS, SC 10 cleaned	12	BRAND NEW	SS
SS-QC8-B-8PM	Instrumentation Quick Connect Body, 316 SS, 1/2" Male NPT, SC 10 cleaned, CV = 1.3 with DESO stem	10	BRAND NEW	SS
SS-6MO-3	Union Tee, 6 mm Tube OD x 6 mm x 6 mm Tube OD, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-BVM4RS	Bleed Valve, 1/4" Male NPT x 3/16" vent tube, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-16MO-6-1-12M	Reducing Union, 16 mm Tube OD x 12 mm Tube OD, 316 SS, standard SC 10 clean	10	BRAND NEW	SS
SS-10MO-2-4	316 SS male elbow, 10 mm Tube OD x 1/4" Male NPT, SC 10 cleaned	10	BRAND NEW	SS
SS-GL9M	316 SS medium-pressure gland for 9/16" OD tubing (IPT series), max rating ~20,000 psi	10	BRAND NEW	SS
SS-1010-2-6	316 SS male elbow, 5/8" Tube OD x 3/8" Male NPT, SC 10 cleaned	10	BRAND NEW	SS
SS-16MO-6-12	316 SS reducing union, 16 mm Tube OD x 12 mm Tube OD, SC 10 cleaned	10	BRAND NEW	SS
SS-6-RS-2V	Stainless steel gasket for 3/8" ISO Parallel Thread (RS) fittings, fluorocarbon FKM inner ring, SC 10 cleaning	10	BRAND NEW	SS
SS-QC4-BP	316 SS body protector for 1/4" QC Series instrumentation quick-connect, SC 10 cleaned (not pressure-retaining)	10	BRAND NEW	SS
SS-6MO-9	316 SS union 90° elbow, 6 mm Tube OD x 6 mm Tube OD, SC 10 cleaned	10	BRAND NEW	SS
SS-12MO-9	316 SS union 90° elbow, 12 mm Tube OD x 12 mm Tube OD, SC 10 cleaned	10	BRAND NEW	SS
SS-10MO-2-4	316 SS male elbow, 10 mm Tube OD x 1/4" Male NPT, SC 10 cleaned	10	BRAND NEW	SS
SS-2000-7-20	316 SS female connector, 1 1/4" Tube OD x 1 1/4" Female NPT, SC 10 cleaned	10	BRAND NEW	SS
SS-6FKO-3	316 SS medium-pressure union tee, 3/8" Tube OD x 3/8" Tube OD x 3/8" Tube OD, SC 10 cleaned, no flow restrictor	10	BRAND NEW	SS

Material List

Part Number	Description	Quantity	Condition	Material
SS-16MO-18RS	316 SS male connector, 16 mm Tube OD × ½" Male ISO Parallel Thread (straight shoulder), SC 10 cleaned	10	BRAND NEW	SS
SS-4L-MH	316 SS high flow metering valve, ¼" Swagelok tube fittings, vernier handle, CV ~0.04, SC 10 cleaned	10	BRAND NEW	SS
SS-1010-7-12	316 SS female connector, 5/8" Tube OD × 3/4" Female NPT, SC 10 cleaned, not bored through	10	BRAND NEW	SS
SS-1410-6	316 SS union fitting, 7/8" Tube OD × 7/8" Tube OD, SC 10 cleaned	10	BRAND NEW	SS
L16L-38MO-6	316 SS union tube fitting, 16 mm Tube OD × 38 mm Tube OD, SC 10 cleaned	10	BRAND NEW	SS
SS-1610-3-12-6	316 SS reducing union tee, 1" Tube OD × ½" Tube OD × ½" Tube OD, SC 10 cleaned	10	BRAND NEW	SS
SS-8FKO-6	316 SS medium-pressure union, ½" Tube OD × ½" Tube OD, SC 10 cleaned, no flow restrictor	10	BRAND NEW	SS
SS-810-F12-300	316 SS ANSI flange adapter, ½" Swagelok tube fitting × ¾" NPS flange, Class 300, SC 10 cleaned, no flow restrictor	10	BRAND NEW	SS
SS-M-1610-F16-150	316 SS ANSI flange adapter, 1" Swagelok tube fitting × 1" NPS flange, Class 150, SC 10 cleaned, no flow restrictor	10	BRAND NEW	SS
SS-1210-3TFT	316 SS female run tee, ¾" Tube OD × ¾" Female NPT × ¾" Tube OD, SC 10 cleaned	10	BRAND NEW	SS
SS-4-UBJ	316 SS union ball-joint (pipe fitting), ¼" Female NPT × ¼" Union Ball Joint, SC 10 cleaned (allows angular misalignment)	10	BRAND NEW	SS
SS-4-BT	316 SS pipe branch tee, ¼" Female NPT × ¼" Female NPT × ¼" Male NPT, SC 10 cleaned (no flow restrictor)	10	BRAND NEW	SS
SS-500-3TMT	Male Run Tee—5/16" Tube OD × 5/16" Tube OD × 1/8" Male NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-810-2-6PR	Positionable male elbow, ½" Tube OD × ¾" Male ISO Parallel Thread, 316 SS, SC 10	10	BRAND NEW	SS
SS-300-3	Union Tee, 3/16" tube × 3/16" × 3/16", 316 SS, SC 10 clean	10	BRAND NEW	SS
SS-1410-1-8	Tube to thread male connector, 7/8" Tube OD × ½" Male NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-810-2-8PR	Positionable female tube fitting to ½" male ISO parallel thread elbow (½" Tube OD × ½" ISO thread), 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-1410-1-12	Tube-to-thread male connector, 7/8" Tube OD × ¾" Male NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-8-RA-2	Reducing Adapter, ½" Female NPT × ¾" Male NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-8-HRCG-2	Hex Reducing Coupling, ½" Female NPT × ¾" Female NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-810-4	Union Cross, ½" Tube OD × ½" × ½" × ½" Tube OD, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-12-HRN-8	Hex Reducing Nipple pipe fitting, ¾" Male NPT × ½" Male NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-400-3TMT	Male Run Tee; ¼" Tube OD → ½" Male NPT run to ¼" Tube OD (316 SS, SC 10 cleaned)	10	BRAND NEW	SS
SS-1410-8-12	Female Elbow, 7/8" Tube OD × ½" Female NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-1010-6-6	Reducing Union, 5/8" OD → 3/8" OD Tube, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-16-HRNT-2RT	Hex Reducing Nipple, 1" Male NPT × 3/4" Male NPT, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-1210-3-6-12-6	Reducing Union Tee, ¾" Tube OD → two ¾" Tube OD and one ¾" Tube OD outlets, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-600-3-4-6	Reducing Union Tee, 3/8" OD × 1/4" OD × 3/8" OD, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-1010-2-8	Tube Fitting, 5/8" OD × 1/2" Male NPT Straight Male Elbow, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-8HRCG-2	Hex Reducing Coupling, ½" Female NPT × ¾" Female NPT, 316 SS, SC 10 Cleaned	10	BRAND NEW	SS
SS-8-HRCG-6	Tube Fitting, 1/2" OD Tube Male Connector, High-Pressure Retainer Coupling, 316 SS, SC 10 cleaned	10	BRAND NEW	SS
SS-1610-3-16-12	Reducing Union Tee, 1" Tube OD × 1" × ¾" Tube OD, 316 SS, SC 10 cleaned	9	BRAND NEW	SS
SS-CN16MF20	1" OD Cone and Thread Coupling, IPT Series, 316 SS, 20 000 psi	9	BRAND NEW	SS
SS-16MO-2-12	90° Male Elbow, 16 mm Tube OD × ¾" Male NPT, 316 SS, SC 10 cleaned	8	BRAND NEW	SS
SS-1210-3-12-8	316 SS reducing union tee, ¾" Tube OD × ¾" Tube OD × ½" Tube OD (three way), SC 10 cleaned	8	BRAND NEW	SS
SS-38MO-1-24RS	316 SS male connector, 38 mm Tube OD × 1½" Male ISO Parallel Thread (straight shoulder RS), SC 10 cleaned	8	BRAND NEW	SS
SS-20MO-1-12RT	Male Connector, 20 mm Tube OD × ¾" Male ISO Tapered Thread, 316 SS, SC 10 cleaned	8	BRAND NEW	SS
SS-6-MTA-1-8	316 SS male tube adapter, 6 mm Tube OD × ½" Male NPT, SC 10 cleaned	8	BRAND NEW	SS
SS-20MO-C	316 SS cap for 20 mm OD Swagelok tube, SC 10 cleaned	8	BRAND NEW	SS
SS-1410-3	Union Tee, 7/8" Tube OD × 7/8" × 7/8" Tube OD, 316 SS, SC 10 cleaned	8	BRAND NEW	SS
SS-2-UBJ	Union Ball Joint, ½" Female NPT × ½" Union Ball Joint, 316 SS, SC 10 cleaned?	8	BRAND NEW	SS
SS-1210-12W	316 SS male connector, ¾" Tube OD × ¾" Male Pipe Weld end, SC 10 cleaned	7	BRAND NEW	SS
SS-600-3-6TTM	Male Branch Tee, 3/8" Tube OD × 3/8" Tube OD × 3/8" Male NPT, 316 SS, SC 10 cleaned	7	BRAND NEW	SS
SS-2400-1-24ST	Male Connector, 1½" Tube OD × 1 7/8 12 SAE/MS Straight Thread, 316 SS, SC 10 Cleaned	7	BRAND NEW	SS
SS-1610-3TFT	316 SS female run tee, 1 in. Tube OD × 1 in. Female NPT × 1 in. Tube OD, SC 10 cleaned	6	BRAND NEW	SS
SS-12NRS12-SH	16 SS severe service union bonnet regulating needle valve, ¾" Swagelok tube fittings, regulating stem, Cv 2.4, 5800 psig @ 100 °F, SC 10 cleaned	6	BRAND NEW	SS
SS-1010-3-8-6	Reducing Union Tee, 5/8" × 5/8" × ¾" Tube OD, 316 SS, SC 10 cleaned	6	BRAND NEW	SS
SS-12-TA-1-12	Male Tube Adapter, ¾" Tube OD × ¾" Male NPT, 316 SS, SC 10 clean	6	BRAND NEW	SS
2507-810-1-4-SG2	Super Duplex 2507 tube fitting (½" OD) × ¼" Male NPT, SC 10 cleaned, NACE MR0175 compliant	6	BRAND NEW	SS
SS-1010-3-6-6	Reducing Union Tee, 5/8" Tube OD × 5/8" Tube OD × 3/8" Tube OD, 316 SS, SC 10 cleaned	6	BRAND NEW	SS
SS-4-HLM-3.00	Hex Long Nipple, 3" length, ¼" Male NPT × ¼" Male NPT, 316 SS, standard SC 10 clean	5	BRAND NEW	SS
SS-T12MO-6	316 SS union tube fitting, 12 mm Tube OD × 12 mm Tube OD, SC 10 cleaned	5	BRAND NEW	SS

Material List

Part Number	Description	Quantity	Condition	Material
SS-16MO-1-12	316 SS male connector, 16 mm Tube OD × ¼" Male NPT, SC 10 cleaned	5	BRAND NEW	SS
SS-16MO-1-8RS	316 SS male connector, 16 mm Tube OD × ½" Male ISO Parallel Thread, straight shoulder (RS), SC 10 cleaned	5	BRAND NEW	SS
SS-10MO-3RPTTF	316 SS positionable reducing female branch tee, 10 mm Tube OD × ¼" Female ISO Parallel Thread × 10 mm Tube OD (SC 10 cleaned)	5	BRAND NEW	SS
GL12M	316 SS medium-pressure gland, for ¾" (19 mm) OD tubing, IPT series, up to 20,000 psi, SC 10 cleaned	5	BRAND NEW	SS
SS-20-MTA-1-16RS	316 SS male tube adapter, 20 mm Tube OD × 1" Male ISO Parallel Thread, straight shoulder (RS), SC 10 cleaned	5	BRAND NEW	SS
SS-T6MO-3	316 SS union tee, 6 mm Tube OD × 6 mm Tube OD × 6 mm Tube OD, SC 10 cleaned	5	BRAND NEW	SS
SS-QC4-4PM	Instrumentation quick connect stem (SESO, no valve), ¼" Male NPT, SC 10 cleaned, CV ≈ 0.3	5	BRAND NEW	SS
SS-32-HRN-16	316 SS hex reducing nipple, 2" Male NPT × 1½" Male NPT, SC 10 cleaned (straight threads)	5	BRAND NEW	SS
SS-1611-PC	316 SS port connector, 1 in. Tube OD × 1 in. Port connector, SC 10 cleaned	5	BRAND NEW	SS
SS-8FKO-R-12FK	316 SS medium pressure cone and thread reducer, ½" Tube OD × ¾" Tube OD (FK series), SC 10 cleaned	5	BRAND NEW	SS
SS-MD-8RS	316 SS mud dauber (vent protector) fitting, ½" Male NPT, wire screen cap to prevent insects/debris, SC 10 cleaned (no pressure retention)	5	BRAND NEW	SS
SS-M1210-1-12W	316 SS male connector, ¾" Tube OD × ¾" Male Pipe Weld end, SC 10 cleaned	5	BRAND NEW	SS
316-51-PP-GTM	SS pneumatic actuator kit (ISO 5211) mounting bracket for 40G/51 series ball valves, includes coupling & hardware, SC 10 cleaned	5	BRAND NEW	SS
SS-1610-4	316 SS union cross, 1" Tube OD × 1" Tube OD × 1" Tube OD × 1" Tube OD, SC 10 cleaned	5	BRAND NEW	SS
SS-1610-6	316 SS union tube fitting, 1" Tube OD × 1" Tube OD, SC 10 cleaned	5	BRAND NEW	SS
SS-1210-F8-150	316 SS ANSI flange adapter, ½" Swagelok tube fitting × ½" NPS flange, Class 150, SC 10 cleaned, no flow restrictor	5	BRAND NEW	SS
SS-810-3-4TTF	316 SS female branch tee, ½" Tube OD × ½" Tube OD × ¼" Female NPT, SC 10 cleaned	5	BRAND NEW	SS
SS-1210-3-6-6	Reducing Union Tee, ¾" Tube OD × ¾" × ¾" Tube OD, 316 SS; SC 10 cleaned; not bored through	5	BRAND NEW	SS
SS-1210-6-10	Reducing Union, ¾" Tube OD → 5/8" Tube OD, 316 SS, SC 10 cleaned	5	BRAND NEW	SS
SS-810-3-6-6	Reducing Union Tee, ½" tube OD × ¾" × ¾" tube OD, 316 SS, SC 10 cleaned	5	BRAND NEW	SS
SS-1610-7-12	1" tube to ¾" FNPT, SC 10 cleaned	5	BRAND NEW	SS
SS-1610-7-16	Female Connector, 1" Tube OD × 1" Female NPT, 316 SS, SC 10 cleaned	5	BRAND NEW	SS
SS-1410-8-12	Tube-to-thread Male Connector, 7/8" Tube OD × ¾" Female NPT, 316 SS, SC 10 cleaned	5	BRAND NEW	SS
SS-1010-3TTM	Male Branch Tee, 5/8" Tube OD × 5/8" Tube OD × 1/2" Male NPT, 316 SS, SC 10 cleaned	5	BRAND NEW	SS
SS-810-3TTM	Tube Fitting, Male Branch Tee – ½" Tube OD × ½" Tube OD × ¾" Male NPT, 316 SS, SC 10 cleaned	5	BRAND NEW	SS
SS-1010-3TMT	Branch Tee, ¾" Tube OD × ¾" Tube OD × ¾" Male NPT, 316 SS, Swagelok Tube Fitting	5	BRAND NEW	SS
SS-12MO-8-4	90° Female Elbow, 12 mm Tube OD × ¼" Female NPT, 316 SS, SC 10 cleaned	4	BRAND NEW	SS
SS-18MO-1-12RS	Male Connector, 18 mm Tube OD × ¾" Male ISO Parallel Thread, straight shoulder, 316 SS, SC 10 cleaned	4	BRAND NEW	SS
SS-FKO-1-6MP	316 SS medium pressure male cone and thread connector, 3/8" Tube OD × 3/8" male NPT, SC 10 cleaned	4	BRAND NEW	SS
SS-8-FKO-6	316 SS medium pressure union, ½" (8 mm) Tube OD × ½" Tube OD, SC 10 cleaned, no flow restrictor	4	BRAND NEW	SS
SS-20MO-6	316 SS union tube fitting, 20 mm Tube OD × 20 mm Tube OD, SC 10 cleaned	4	BRAND NEW	SS
SS-QC4-BP	316 SS body protector for 1/4" QC Series instrumentation quick-connect, SC 10 cleaned	4	BRAND NEW	SS
SS-6FKO-R-8FK	316 SS medium-pressure cone-&-thread reducer, 3/8" Tube OD × ½" Tube OD (FK series), SC 10 cleaned	4	BRAND NEW	SS
SS-CN12MF20	316 SS medium pressure cone and thread coupling (IPT series), ¾" OD × ¾" OD, rated 20,000 psi, SC 10 cleaned	4	BRAND NEW	SS
SS-1010-3TTF	Female Branch Tee, 5/8" Tube OD × 5/8" Tube OD × ½" Female NPT, 316 SS, SC 10 cleaned	4	BRAND NEW	SS
SS-1610-3-12TFT	Female Run Tee: 1" Tube OD in-¾" Female NPT branch-1" Tube OD, 316 SS, SC 10 cleaned	4	BRAND NEW	SS
SS-1010-8-8	Female Elbow, 5/8" Tube OD × 1/2" Female NPT, 316 SS, SC 10 cleaned	4	BRAND NEW	SS
SS-1610-3-16-8	Reducing Union Tee, 1" × 1" × ½" Tube OD, 316 SS, SC 10 cleaned	4	BRAND NEW	SS
SS-810-3-8TTF	Female Branch Tee, ½" Tube OD × ½" Tube OD × ¾" Female NPT, 316 SS, SC 10 cleaned	4	BRAND NEW	SS
SS-6ST	3/8" Street Tee, 316 SS, Female NPT × Male NPT × Female NPT, SC 10 cleaned	4	BRAND NEW	SS
SS-12MO-9	316 SS union 90° elbow, 12 mm Tube OD × 12 mm Tube OD, SC 10 cleaned	3	BRAND NEW	SS
SS-58F8-7328	316 SS lift check valve, ½" Female NPT × ½" Female NPT, Cv 2.2, set for 4600 psig @ 100 °F (fixed-pressure, gravity bonnet), SC 10 cleaned	3	BRAND NEW	SS
SS-1210-F12-150	316 SS ANSI flange adapter, ¾" Swagelok tube fitting × ¾" NPS flange, Class 150, SC 10 cleaned, no flow restrictor	3	BRAND NEW	SS
SS-1210-F12-300	316 SS ANSI flange adapter, ¾" Swagelok tube fitting × ¾" NPS flange, Class 300, SC 10 cleaned, no flow restrictor	3	BRAND NEW	SS
SS-1210-F12-150	316 SS ANSI flange adapter, ¾" Swagelok tube fitting × ¾" NPS flange, Class 150, SC 10 cleaned, no flow restrictor	3	BRAND NEW	SS
SS-SK-83	316 SS 3 piece high pressure trunnion ball valve, PCTFE seats, ¾" Swagelok tube fittings, SC 10 cleaned, Cv ~ 1.2, 6 000 psig @ 100 °F, low emissions certified	3	BRAND NEW	SS

Material List

Part Number	Description	Quantity	Condition	Material
SS-KPR1J00011AO-KIT	316 SS KPR series rebuild kit for KPR1J regulator (0–500 psig, ¼" FNPT, PCTFE seat, Cv 0.06)	3	BRAND NEW	SS
SS-6KO-3	Union Tee, 3/8" Tube OD × 3/8" × 3/8" Medium Pressure (FK series), 316 SS, SC 10 cleaned	3	BRAND NEW	SS
SS-1610-3-16-6	Reducing Union Tee, 1" × 1" × ¾" Tube OD, 316 SS, SC 10 cleaned	3	BRAND NEW	SS
SS-1010-3-6-6	Reducing Union Tee, 5/8" Tube OD × 3/8" Tube OD × 3/8" Tube OD, 316 SS, SC 10 Cleaned	3	BRAND NEW	SS
SS-2400-1-24W	Tube male connector, 1½" OD to 1½" male pipe weld, 316 SS, SC 10 clean	3	BRAND NEW	SS
SS-20MO-2-16	90° Male Elbow, 20 mm Tube OD × 1" Male NPT, 316 SS, SC 10 cleaned	2	BRAND NEW	SS
SS-12MO-1-0011	316 SS male connector, 12 mm Tube OD × ½" Male NPT, SC 10 cleaned (not bored through)	2	BRAND NEW	SS
SS-1210-512-150	316 SS ANSI flange adapter, ¾" Tube OD × ¾" NPS 150 flange (Class 150), SC 10 cleaned, no flow restrictor	2	BRAND NEW	SS
SS-1210-F12-600	316 SS ANSI flange adapter, ¾" Swagelok tube × ¾" NPS flange, Class 600, SC 10 cleaned, no flow restrictor	2	BRAND NEW	SS
SS-83KF8RP-SG	316 SS 3 piece high pressure trunnion ball valve, PEEK seats, ½" FNPT connections, soft-seated (repairable), sour-gas (SG)-service per NACE MR0175, SC 10 cleaned, Cv ≈ 1.2, rated up to 6000 psig @ 100 °F	2	BRAND NEW	SS
SS-18RS12-PK	316 SS integral-bonnet regulating needle valve, ¾" Swagelok tube fittings, SC 10 cleaned, Cv 1.8, 5000 psig @ 100 °F (regulating stem)	2	BRAND NEW	SS
SS-KPR1FOO412AO	316 SS single stage pressure reducing regulator, 0–100 psig output, 3600 psig inlet, PCTFE seat, ¼" Female NPT ports, SC 10 cleaned, Cv 0.06	2	BRAND NEW	SS
SS-MB-41G	316 SS actuator mounting bracket kit, for 40G/41G ball valves with 131/151/241 & 141/142 actuators (ISO 5211 compliant), SC 10 cleaned	2	BRAND NEW	SS
CN12MF20	316 SS medium pressure female cone and thread connector, ¾" OD × ¾" OD (IPT series, rated 20 000 psig, SC 10 cleaned)	2	BRAND NEW	SS
SS-83XTFW-K2-W20	3-way 3-piece trunnion ball valve kit with replacement sintered filter element (6 TF/8 TF series), includes W20 pleated element	1	BRAND NEW	SS
SS-10MO-F8-900	ANSI Flange Adapter, 10 mm Tube OD × ½" ANSI Raised-Face Flange, Class 900; 316 SS, SC 10 cleaned	1	BRAND NEW	SS
SS-10MO-6-6M	Reducing Tube Union, 10 mm Tube OD × 6 mm Tube OD, 316 SS, SC 10 cleaned	1	BRAND NEW	SS
316L-14MO-6	316 SS union tube fitting, 14 mm Tube OD × 14 mm Tube OD, SC 10 cleaned	1	BRAND NEW	SS
SS-4FKO-1-4MP	316 SS medium pressure male connector, ¼" Tube OD × ¼" Male Cone & Thread (FK series), SC 10 cleaned (one piece, no flow restrictor)	1	BRAND NEW	SS
SS-16MO-3	316 SS union tee, 16 mm Tube OD × 16 mm Tube OD × 16 mm Tube OD, SC 10 cleaned	1	BRAND NEW	SS
SS-10MO-1-0014	316 SS male connector, 10 mm Tube OD × ¼" Male NPT, SC 10 cleaned	1	BRAND NEW	SS
SS-58F8	316 SS lift check valve, ½" Female NPT × ½" Female NPT, SC 10 cleaned, Cv 2.2, 4600 psig @ 100 °F (6000 psig rating)	1	BRAND NEW	SS
SS-6P4T-MMC5LD	2 Way Straight Plug Valve, 6 mm tube-to-tube, 316 SS, SC 10 cleaned, green directional handle, Cv 1.6	1	BRAND NEW	SS
SS-CH5-12MM-CP	Check Valve (C/CH/CP series), 12 mm tube fitting, fixed cracking pressure (e.g. ~5 psi), 316 SS, FKM seal, cleaned SC 10	1	BRAND NEW	SS
SS-8R3AMM-B1 150 BAR	High Pressure Proportional Relief Valve (R3A series) for 8 mm tubing, 316 SS, FKM seal, set at 150 bar (2200 psi)	1	BRAND NEW	SS
SS-10MO-1-0005	Lap Joint Stub for 10 mm Tube OD tubing, 316 SS, standard SC 10 clean	1	BRAND NEW	SS
SS-1610-3	316 SS union tee, 1" Tube OD × 1" Tube OD × 1" Tube OD, SC 10 cleaned	1	BRAND NEW	SS
SS-12MO-F12-150	316 SS ANSI flange adapter, 12 mm Swagelok tube fitting × ¾" NPS flange, Class 150, SC 10 cleaned, no flow restrictor	1	BRAND NEW	SS
SS-20-RB-12	316 SS reducing bushing, 1¼" Male NPT × ¾" Female NPT, SC 10 cleaned, no flow restrictor	1	BRAND NEW	SS
SS-83XTF4-K2-W20	316 SS 3 piece high pressure 3 way trunnion ball valve, PTFE seats, ½" FNPT inlet/outlets, stainless-steel bar handle, W20 special cleaning/packaging, Cv ≈ 1.2, rated up to 10 000 psig, SC 10 cleaned	1	BRAND NEW	SS
SS-91K-62T	Reinforced PTFE seal kit for 62 series Swagelok stainless steel ball valves, SC 10 cleaned, includes gaskets, packing, seats, lubricant & instructions	1	BRAND NEW	SS
SS-83PF8-SG-W20	316 SS 3-piece high-pressure trunnion ball valve with PEEK seats, ½" FNPT connections, sour-gas (SG) service per NACE MR0175, stainless-steel bar handle (SH), W20	1	BRAND NEW	SS
SS-18RF6	316 SS integral bonnet needle valve, 3/8" Female NPT × 3/8" Female NPT, regulating stem, CV 1.8, rated 5000 psig @ 100 °F (limited to 3130 psig @ 600 °F), SC 10 cleaned, low emissions certified	1	BRAND NEW	SS
SS-1610-9	316 SS union elbow, 1" Tube OD × 1" Tube OD, 90° union elbow, SC 10 cleaned	1	BRAND NEW	SS
SS-AFSS6	316 SS 3-piece high-pressure AFS series ball valve, ¾" Swagelok tube fittings, SC 10 cleaned, Cv 4, suitable for alternative fuels & hydrogen	1	BRAND NEW	SS
SS-12-UBJ	316 SS union ball joint (pipe fitting), ¾" Female NPT × ¾" Female NPT, allows angular misalignment, SC 10 cleaned	1	BRAND NEW	SS
SS-1610-F16-600	316 SS ANSI flange adapter, 1" Swagelok tube × 1" NPS 1" ANSI flange, Class 600, SC 10 cleaned, no flow restrictor	1	BRAND NEW	SS
SS-16-SE	Street Elbow, 1" Female NPT × 1" Male NPT, 316 SS, standard SC 10 cleaned	1	BRAND NEW	SS
SS-1610-5-16	45° Male Elbow, 1" Tube OD × 1" Male NPT, 316 SS, SC 10 cleaned	1	BRAND NEW	SS
CN16MF20	IPT® series medium-pressure coupling, 1" cone and thread to 1" female cone and thread, 316 SS, rated 20,000 psi	1	BRAND NEW	SS

Material List

Part Number	Description	Quantity	Condition	Material
CN12NM16MF10	Cone and Thread Adapter: 3/4" Male NPT x 1" Cone & Thread (IPT series), 316 SS, rated 10 000 psi	1	BRAND NEW	SS
SS-1610-16	Male Connector, 1" Tube OD x 1" Male NPT, 316 SS, SC 10 cleaned	1	BRAND NEW	SS
SS-1610-R20	Tube Reducer, 1" → 1 1/4" OD, 316 SS, SC 10 Cleaned, Standard Bore	1	BRAND NEW	SS
SWAGELOK FITTINGS				
PART NUMBER SWAGELOK VALVES				
SS-V5NBF8-LE-21410-25017	5-Valve instrument manifold, ball-stem, 1/2" NPT, SC 10/LE cleaned	1214	BRAND NEW	SS
SS-V3NBF8-LE-25017	3-Valve Instrument Manifold, 1/2" FNPT, 316 SS, Ball Stem, SC-10 / LE Cleaned	516	BRAND NEW	SS
304L-V5NBF8-LE-29779-25017	5 Valve Instrument Manifold, Ball Stem, 1/2" FNPT, 304L SS, LE Cleaned (SC 10)	194	BRAND NEW	SS
304L-V2BF8-LE-29777-25017	2-Valve Instrument Manifold, 1/2" FNPT, 304L SS, Ball Stem, SC-10 / LE Cleaned	82	BRAND NEW	SS
SS-V2BF8-LE-25017	2-Valve Instrument Manifold, 1/2" FNPT, 316 SS, Ball Stem, SC-10 / LE Cleaned	56	BRAND NEW	SS
SS-V3NBF8-W20	3 Valve Instrument Manifold, Ball Stem, 1/2" FNPT, 316 SS (hydrostatic tested)	42	BRAND NEW	SS
304L-V3-NBF8-LE-29777-25017	3-Valve Instrument Manifold, 1/2" FNPT, 304L SS, Ball Stem, SC 10 / LE Cleaned for High Purity Service	20	BRAND NEW	SS
Total:		9681		